







Quotation for Dehydrator Machine

Photo:

DEHYRATOR - 6 TRAY



Description:

Model: CI-06SD Power: 700W

Power Consumption : (Integrated 560W per hour)

Quantity of trays: 6 (Rack gap: 35mm)

Tray size: 30*28cm Voltage: 220-240V/50Hz Temperature: 35~85 Time range: 0-24 Hours Noise level: 45-50decibels Product size : 34*45*31.8cm

Warranty: 1 years (heating element for 3 years)

Standard Packing: 7Layers carton box, Can pass ISTA 1A

Double laver housing

· With an inner LED light

· With additional 1pc crumb tray

· SUS304 trays

SUS201 housing and galvanized liner

Stainless steel handle

DEHYRATOR - 10 TRAY



Model: CI-10D Power: 800W

Power Consumption : (Integrated 640W per hour) Quantity of Trays: 10 (Rack gap: 30mm)

Tray Size: 30*28cm Voltage: 220-240V/50Hz Temperature: 30~90 Time Range: 0-24 Hours Noise level: 45-50decibels Product Size: 34.5*39.5*42.7cm

Warranty: 1 years (heating element for 3 years)

Double layer housing

With an inner LED light

With additional 1pc crumb tray

·SUS304 trays

-SUS201 housing and liner

·Aluminum Handle









Quotation for Dehydrator Machine

Photo:

DEHYRATOR - 12 TRAY



Description:

Model: CI-12D Power: 1000W

Power Consumption :(Integrated 800W per hour) Quantity of Trays: 12 (Rack gap: 35mm)

Tray size: 40*38cm

Voltage: 220-240V/50Hz/60Hz 110V/60Hz

Temperature: 30~90 Time range : 0-24 Hours Noise level: 50-55decibels Product size: 46.5*57*54.8cm

Warranty: 1 years (heating element for 3 years)

- Double layer housing With an inner LED light
- ·With additional 1pc crumb tray
- SUS304 trays
- SUS201 housing and liner
- ·Aluminum Handle

DEHYRATOR - 20 TRAY



Model: CI-20d

Power: 2000w

Power Consumption : (Integrated 1500w Per Hour)

Quantity of Trays: 20 (rack Gap: 35mm)

Tray Size: 40*38cm

Voltage: 220-240v/50hz/60hz 110v/60hz

Temperature: 30~90 C Time Range: 0-24 Hours Noise Level: 50-55 decibels

Product Size: 46.5*57*82cm (without Wheels) Warranty: 1 Years (heating Element For 3 Years)

Features:

- -3 fans in the compartment
- Double layer housing
- ·With an inner LED light
- ·With additional 1pc crumb tray
- With 4 wheels
- SUS304 travs
- SUS201 housing and liner
- ·Aluminum Handle









Quotation for Dehydrator Machine

Photo:

DEHYRATOR - 48 TRAY



Description:

Model: CI-48D Power: 4000w

Power Consumption : (Integrated 3200 W Per Hour)

Quantity of Trays: 48 (rack Gap: 30mm)

Tray Size: 40*38cm

Voltage: 220-240v/50hz/60hz Temperature: 30~90c Time Range: 0-24 Hours Noise Level: 50-55decibels

Product Size: 46.5*57*161.6cm (without Wheels) Warranty: 1 Years (heating Element For 3 Years)

Features:

- 2 independent compartments
- -3 fans for each compartment
- Double layer housing
- With an inner LED light
- With additional 2pcs crumb trays
- ·With 4 wheels
- SUS304 trays
- -SUS201 housing and liner
- ·Aluminum Handle

DEHYRATOR - 96 TRAY



Model: CI-96D

Power: 7600w

Power Consumption: (Integrated 6000W Per hour)

Quantity of Trays: 96 (rack Gap: 30mm)

Tray Size: 40*38cm

Voltage: 220-240v/50hz/60hz Temperature: 30~90c Time Range: 0-24 Hours Noise Level: 50-55decibels

Product Size: 94*57*162.6cm (without Wheels) Warranty: 1 Years (heating Element For 3 Years)

Features:

- 4 independent compartments
- -3 fans for each compartment
- Double layer housing
- ·With an inner LED light
- With additional 4pcs crumb trays
- With 4 wheels
- SUS304 trays
- SUS201 housing and liner
- ·Aluminum Handle









@ [f] in @Creatureindustry

Quotation for Dehydrator Machine

Key point -

Model No	Capacity (Kg/Batch)	Price(Inr)	18%GST	Total
CI-06SD	3 - 5 (Kg/Batch)	Rs, 24,000 /-	Rs, 4,320 /-	Rs, 28,320 /-
CI-10D	5 - 8 (Kg/Batch)	Rs, 30,000 /-	Rs, 5,400 /-	Rs, 35,400 /-
CI-12D	10 - 15 (Kg/Batch)	Rs, 35,000 /-	Rs, 6,300 /-	Rs, 41,300 /-
CI-20D	20 - 25 (Kg/Batch)	Rs, 45,000 /-	Rs, 8,100 /-	Rs, 53,100 /-
CI-48D	50 - 55 (Kg/Batch)	Rs, 120,000 /-	Rs, 21,600 /-	Rs, 141,600 /-
CI-96D	100 - 120 (Kg/Batch)	Rs, 200,000 /-	Rs, 36,000 /-	Rs, 236,000 /-

key features of these machine-

Fruit and vegetable dehydrator machines function by using controlled heat and airflow to remove moisture while preserving nutrients, flavors, and shelf life. They operate with adjustable temperature settings, efficient ventilation, and uniform heat distribution to ensure even drying. These machines are widely used in food processing industries, commercial kitchens, and farms to dehydrate fruits, vegetables, herbs, and even meats for long-term storage, snacks, or ingredient production. They help reduce food waste, enhance preservation without additives, and maintain product quality for retail or bulk distribution.





Address: Parking No. 3, Piyush Tower, E-110, Transport Nagar, Lucknow, Uttar Pradesh 226012

TERMS AND CONDITION

- Delivery Time: 10-15 days after your order with advance payment.
- Payment Terms:
- 100% advance payment in case of bank financing.
- 25% advance in case of self-financing; the remaining 75% to be paid before the delivery of the machine.
- · Packaging & Forwarding:
- Will be charged extra as per actual costs.
- If the customer requests petty packing, it will be charged based on the machine size.
- Installation:
- Installation and demo service will be provided.
- The buyer must pay for the engineer's round-trip ticket, food, and accommodation (all labor charges depend on the machine).
- The company will communicate the day and time slot of the scheduled installation and demo via a call from the head office.
- Note: Installation for Oil Expeller and Patthar Chakki is not provided by the company.
- Requirements from Buyer:
- Only one visit for installation is provided; subsequent visits are for service.
- The buyer must arrange all necessary requirements like electricity wiring, electricity supply, and raw materials.
- Demo Service:
- The authorized service engineer will provide a detailed demo, including:
 - Usage of the product
 - Explanation of all functionalities
 - Preventive maintenance actions
- Product Usage:
- · The product must be used according to instructions provided by the authorized service engineer.
- · Any modifications or alterations to the electrical circuitry or physical construction of the machine that do not conform to the
- recommended operating conditions will nullify any legal claims by the company.
- Exclusions from Warranty:
- Defects caused by factors beyond control such as lightning, abnormal voltage, acts of God, or damages during transit will not be
- covered under legal claims.
- · If the buyer fails to operate the purchased machine after receiving instructions, no legal claim will be entertained.
- Customer Conduct:
- Misbehavior at the work premises by the customer will lead to forfeiture of all services.
- If a customer misbehaves or uses inappropriate language with company personnel, they will be excluded from free services.
- Order Cancellation:
- If the order is canceled by the buyer, the entire advance amount will be forfeited.
- If the order is canceled due to the company's reasons, the advance payment will be adjustable.
- If the cancellation is due to the buyer's reason, the advance is neither adjustable nor refundable.
- Validity:
- Advance payment is valid for 30 days from the booking of the machine.
- Once the machine is used, it cannot be refunded or adjusted.
- The company does not deal with second-hand machinery.
- Service Details:
- It is the customer's responsibility to provide pickup and drop-off facilities for the authorized person to the nearest transport area.
- After completing the service or installation, the customer must free up the authorized person as soon as possible; otherwise, a
- charge of ₹500 per hour will apply.
- Transport and Damage:
- The company is not responsible for any transport damage.
- Goods once sold cannot be refunded or adjusted.
- Operational Requirements:
- All snack-related setups, including automatic packing, require a skilled person to operate the machine.
- Disputes:
- All disputes are subject to Lucknow Judiciary only.
- Customer Responsibility:
- The customer must arrange for the installation of machinery within a week after delivery.
- Guarantee Claims:
- Guarantee claims will take 10-15 days to process.

After raising any complain regarding machine will take minimum 72 hours to work on it or depend upon situation.