



BROCHURE

CREATURE INDUSTRY

PACKAGING MACHINERIES

CONSIDERATIONS FOR CHOOSING A POUCH PACKING MACHINE:

Product Type: The nature of the product (solid, liquid, powder) will determine the type of filler required.

Pouch Style: Whether you need flat pouches, stand-up pouches, resealable pouches, or spout pouches.

Speed Requirements: Depending on production volume, you may need a machine that offers high-speed packaging.

Material Compatibility: Ensure that the machine can handle the type of pouch material you intend to use (plastic, aluminum foil, paper, etc.).

Budget and Maintenance: Consider upfront costs, long-term maintenance, and operator training.

PACKING MACHINES are an essential part of modern packaging systems, offering versatility, efficiency, and high-quality packaging solutions for a wide range of products. They enable businesses to meet production demands while delivering convenient and attractive packaging options to consumers.



www.creatureindustry.com



@Creatureindustry

SINGLE-HEAD
SEMI AUTOMATIC

Weighing & Filling Machine

UPTO
100G-
5KG

Model Types :




100g



200g



500g



1kg



5kg



MODEL SPECIFICATION:

Automation Grade :	Semi-Automatic
Hopper Shape:	Round/Square
Power Source :	Electric
Voltage :	220V AC Supply
Frequency :	50Hz
Power :	180W
Weighting Range :	1 – 99.9 gm to 4.99.9 Kg
Hopper Capacity :	100g-5 Kg
Filling Speed :	600 Bags per Hour (Depending on Materials & Diff. Aliquot Weight)
Filling Accuracy :	+ 1G (Depending on Material)
Dimensions (L x W x H) :	420 x 250 x 580 mm
Machine Weight :	10 Kg (Approx.)
Product Type :	Weighing And Filling Machine

DOUBLE-HEAD
SEMI AUTOMATIC

Weighing & Filling Machine

UPTO
10G-1KG

Model Types :



200g



1kg



3kg



MODEL SPECIFICATION:

Packaging Type :	Manual
Hopper Shape:	Round/Square
Country of Origin :	Made in India
Automation Grade :	Semi-Automatic
Filling Speed :	0-500 pouch per hour (Depending on Materials & Diff. Aliquot Weight)
Driven Type :	Electric
Material :	Stainless Steel
Power Consumption :	500 watt
Usage/Application	Industrial
Brand :	Creature Industry
Product Type :	Weighing, Filling & Packing Machine

FOUR-HEAD
SEMI AUTOMATIC

Weighing & Filling Machine

UPTO
200G-
1KG

Model Types :

1



200g

2



1kg



MODEL SPECIFICATION:

Packaging Type :	Manual
Hopper Shape:	Round/Square
Country of Origin :	Made in India
Automation Grade :	Automatic
Filling Speed :	4000 pouch per hour (Depending on Materials & Diff. Aliquot Weight)
Driven Type :	Electric
Material :	Stainless Steel/Mild Steel
Power Consumption :	500 watt
Usage/Application	Industrial
Brand :	Creature Industry
Product Type :	Weighing, Filling & Packing Machine

MULTI-HEAD
SEMI AUTOMATIC

Weighing & Filling Machine

UPTO
200G-
1KG



MODEL SPECIFICATION:

Calibration Type:	Automatic
Driven Type:	Electric
Display Type:	Digital
Material:	Stainless Steel
Usage/Application:	Industrial
Filling Type:	Weighing type
Type Of Sealing:	Centre Sealing
Weight:	300 kg
I Deal In:	New Only
Machine Power:	1-2 HP
Filling Speed :	500-1000 pouch per hour (Depending on Materials & Diff. Aliquot Weight)
Product Type :	Weighing, Filling & Packing Machine
Warranty :	1 Year
AC Adapter Included:	Yes
Price:	8,00,000/Piece

FULLY AUTOMATIC Pneumatic Weigh Filler Packing Machine 3 SIDE SEALING

Model Types :



**UPTO
10G-1KG**





MODEL SPECIFICATION:

Product :	Grains, Granules, Pulses & Four
Voltage :	AC 220 V / 50 Hz
Phase :	Single Phase
Power :	4 kW
Filling Speed :	5 to 10 Packets per minute (Depending on Materials Weight)
Powder Capacity :	10 gm to 1 Kg
Hopper Capacity :	35 Kg
Filling Type :	Weigh Metric
Accuracy :	+/- 2 gm (Based on products)
Control Panel :	PLC
Contact Parts :	SS – 304
Machine Weight :	380 Kg

MULTI-HEAD (10 HEAD)

Weighing & Filling Machine

**UPTO
1KG-10KG**



MODEL SPECIFICATION:

Filling Speed :	4000 Pouch/Hour (Depending on Materials Weight)
Material :	Stainless Steel/Mild Steel
Phase :	Three phase
I Deal In :	New Only
Grade	202
Weight :	600 kg
Voltage :	440
Power Consumption :	5 kw
Usage/Application :	Industrial
Brand :	Imported
Product Type :	Weighing, Filling & Packing Machine

AUTOMATIC

POUCH PACKING MACHINERIES



Fifty-gram pouch packaging machines are commonly used across various industries to efficiently package a wide range of dry products.

1. Food Products :

Spices and herbs (e.g., chili powder, turmeric, cumin, black pepper)
Seasoning blends (e.g., masala mixes, BBQ seasoning)
Instant coffee powder and tea powders
Sugar and salt (for individual servings)
Baking powders or baking soda
Protein powders and dietary supplements
Snack items (e.g., nuts, trail mixes, small candy portions)
Dehydrated vegetables or soup mixes
Dried fruits (small portion packs)

2. Health & Wellness Products :

Protein powders and health supplements
Superfoods in powder form (e.g., maca powder, spirulina powder)
Medicinal herbs or powders (e.g., ashwagandha, triphala)

3. Cosmetic & Personal Care Products :

Powdered face masks or scrubs
Bath salts or powdered bath additives
Sample sachets of dry shampoo

4. Household and Cleaning Products :

Laundry powders (single-use portions)
Carpet or surface cleaning powders
Dishwasher powder packs
Air freshener powders

5. Agricultural and Garden Products :

Plant fertilizers in powder form
Plant nutrient blends and soil enhancers
Small seed packets (e.g., flower, vegetable seeds)

6. Mini Metallic Products

Small screws, nuts, and bolts
Washers and fasteners
Nails and pins
Small electronic components (e.g., resistors, capacitors)
Jewelry findings (e.g., clasps, jump rings)
Razor blades or replacement blades
Clips and small tools (e.g., Allen keys, small wrenches)



AUTOMATIC

POUCH PACKING MACHINES

Product Type :	Namkeen Packing Machine
Filling Speed :	800 – 1200 Pouch/Hr (Depending on Material)
Pouch Capacity :	10 g to 50 g
Phase :	Single Phase
Deal In :	New Only
Temperature Controller :	Yes
Pouch Counter :	Yes
Accuracy :	99%
Voltage :	220 V
Power Consumption :	2 kw
Automation Grade :	Automatic



UPTO
50 g
POUCHES



UPTO
100 g
POUCHES

Voltage:	220
Packaging Speed:	12 – 15 pouch/min
Sealing Type:	Center
Electrical Supply:	Yes
Automation Grade:	Automatic
Deal In:	New Only
Power:	2 kWh
Driven Type:	Electric
Packaging Type:	Center Seal
Pouch Capacity:	10 GM to 100 GM
Brand:	Creature Industry
Capacity:	Upto 1000 Pouch per hour

AUTOMATIC

POUCH PACKING MACHINES

Product Type :	Namkeen Packing Machine
Filling Speed :	800 – 1200 Pouch/Hr (Depending on Material)
Pouch Capacity :	10 g to 50 g
Phase :	Single Phase
Deal In :	New Only
Temperature Controller :	Yes
Pouch Counter :	Yes
Accuracy :	99%
Voltage :	220 V
Power Consumption :	2 kw
Automation Grade :	Automatic



UPTO
500g
POUCHES



UPTO
1 Kg
POUCHES

Voltage:	220
Packaging Speed:	12 – 15 pouch/min
Sealing Type:	Center
Electrical Supply:	Yes
Automation Grade:	Automatic
Deal In:	New Only
Power:	2 kWh
Driven Type:	Electric
Packaging Type:	Center Seal
Pouch Capacity:	10 GM to 100 GM
Brand:	Creature Industry
Capacity:	Upto 1000 Pouch per hour

AUTOMATIC

POUCH PACKING MACHINES



UPTO
5 Kg
POUCHES

Brand	Creature Industry
Capacity	1000 Pouch per hour
Filing Type	Weighing
Sealing Type	3 Side
Model Name/Number	Weight Packing Machines
I Deal In	New Only
Packaging Material	Plastic
Automation Grade	Automatic
Driven Type	Electric
Packaging Type	Pouch
Usage/Application	Packing

AUTOMATIC

FLOW WRAP POUCH PACKING MACHINE


Flow packaging machines that handle pouches from 60 MM to 350 MM are highly versatile and are used across industries to package various types of products.

1. Food Products
2. Health & Wellness Products
3. Cosmetic & Personal Care Products
4. Household and Cleaning Products
5. Agricultural and Garden Products
6. Mini Metallic Products

Flow wrap machine typically seals pouches on two sides and one longitudinal seam along the length of the package, creating a pillow-style pack. This results in two end seals (top and bottom)



2 Side sealing



AUTOMATIC

FLOW WRAP POUCH PACKING MACHINE

Production Capacity :	2500-6000 Piece/Hour (Depending on Materials)
Automatic Grade :	Automatic
Packaging Type :	Center Seal
Automation Grade :	Automatic
Voltage :	220
Power :	4 kw
Phase :	single
Packaging Material :	Roll
Weight :	350 kg



UPTO
50 g
POUCHES



UPTO
100 g
POUCHES

Sealing Type :	Centre sealing
Usage/Application :	Industrial
Material :	Powder and granules
Capacity	80-100 pouch per minutes
Automation Grade :	Automatic
Driven Type :	Pneumatic
Machine Power :	1-2 HP
Weight :	200kg

AUTOMATIC

BAND SEALER PACKING MACHINE

Fifty-gram pouch packaging machines are commonly used across various industries to efficiently package a wide range of dry products.

1. Food Products
2. Health & Wellness Products
3. Cosmetic & Personal Care Products
4. Household and Cleaning Products
5. Industrial Products

Band sealers are ideal for stand-up pouches, flat pouches, and other flexible packaging types where only the top seal is needed after filling. For a true three-side seal, pre-formed pouches work best with a band sealer.

Band sealer can seal three sides of a pouch, but it typically does this for pre-formed pouches. In this case:

One side of the pouch is already pre-sealed (often the bottom or one edge).

The band sealer then seals the remaining open sides (usually the top and one other side if



1 Side Sealing
At A Time



AUTOMATIC

BAND SEALER MACHINE

VERTICAL CONTINUOUS BAND SEALER MACHINE

Automation Grade :	Semi-Automatic
Model Name/Number :	Fr900
Packaging Type :	Plastic Packet
Power :	500 V
Material :	Mild Steel
Conveyor Size :	3 KG
Orientation :	Vertical
Load Capacity :	3 KG
Power Source :	Electric
Weigh :	25 KG
Brand :	CREATURE INDUSTRY
Phase :	Single
Voltage :	220
Is It Portable :	YES
I Deal In :	New Only



MS HORIZONTAL BAND SEALER MACHINE



Automation Grade	Automatic
Operational Mode	Horizontal
Material	SS & MS
Packaging Type	Plastic Packet
Power	750
Max. Conveyor Load	3 KG
Power :	0.5 hp motor
Materia :	Mild Steel
Driven Type :	Electric

BAND SEALER WITH NITROGEN FLUSHING



Material :	Iron
Automation Grade :	Semi-Automatic
Power :	750W
Weight :	39 kgs
Brand :	CREATURE INDUSTRY
Country of Origin :	Made in India

BAND SEALER 10 KG CAPACITY VERTICAL



Automation Grade :	Semi-Automatic
Material :	Mild Steel
Capacity :	3000 pouch per hour
Voltage :	220 V
Frequency :	50 Hz
Phase :	Single Phase
Brand :	Creature Industry
Country of Origin :	Made in India

PADDLE SEALER MACHINE

Brand :	Creature Industry
Driven Type :	Pedal
Heating Time :	2 sec.
Production Capacity :	25-30 pouches per min
Power Consumption :	600W
Automation Grade :	Semi-Automatic
Voltage :	220 V
Weight :	5.2KG



DOUBLE CHAMBER VACUUM PACKING

Sealing Speed:	1-4 Time / Min
Workroom Size:	670x540x110mm
External Size :	1450x750x1000mm
Sealing Length:	620x10mm
Power:	1.5 Kw & 3.1 Kw
Voltage:	3 Phase 440v/50hz
Weight:	320 Kg



FOOD VACUUM PACKING MACHINE



Voltage :	220V
Frequency :	50/60Hz
Power :	1 KW
Workroom Size :	280 x 390 x 60 mm
Sealing Length :	260 x 10 mm
Sealing Speed :	1-4 times/minute
External Size (L x W x H) :	485 x 340 x 345 mm
Machine Weight :	33 Kg (Approx.)
Product Type :	Food Vacuum Packing Machine

BOX STRAPPING MACHINE

Product Type :	Strapping Machine
Power :	220 Voltage
Power :	2 kw
Phase :	Single
Frequency :	50 Hz
Strapping Tension :	40 to 450 N adjustable
Strapping Speed :	1.8 sec per strap
Strapping Width :	6 to 15 mm
Dimension (L x W x H)	836 x 560 x 725 mm
Weight :	85 Kgs (Approx)



MANUAL BLISTER PACKING MACHINE


Capacity :	100 Piece/MinPowders
Power Consumption :	1 kw
Packaging Material :	Blister And Card
Usage/Application :	Packaging
Packaging Type :	Blister
Machine Type :	Manual
Phase :	Single phase
Voltage :	220
Filing Type :	Manual
Sealing Type :	Blister
Brand :	Creature Industry
Pouch Capacity :	50 grams
Driven Type :	Electric
Automation Grade :	Semi-Automatic
Deal In :	New Only



IMPULSE HAND SEALER



Product Type :	Impulse Hand Sealer
Brand :	Made in India
Sealing Length :	300 mm (12 inch)
Sealing Width :	2mm
Power :	300W
Voltage :	240V
Material :	Aluminium
Transformer Material :	100kg
Transformer :	2 Pcs
Weight :	2.7Kg (Approx)



CREATURE INDUSTRY

TERMS AND CONDITION

- 1. Delivery time:** 10-15 days after your order with advance payment.
- 2. Payment terms:** 100% advance payment in case of bank financing.
- 3.** 25% advance in case of self-financing rest 75% to be paid Before Delivery of Machine
- 4. Packaging & forwarding:** will be charged extra as actual.
- 5.** In case of costumer wants petty packing then it will cost as per the machine size.
- 6. Installation:** The installation and demo service will be provided. Buyer should pay engineer's round way ticket, food and room (all labor charges according to machine). Company will communicate the day and time slot of the scheduled installation and demo through a call from head office (Oil expeller and Patthar Chakki installation will not provide by company.)
- 7.** Company will provide only 1 visit for the installation, rest visit are for service. Buyer must arrange all necessary requirements like electricity wiring, electricity supply & raw material etc.
- 8.** The authorized service engineer will provide details demo that includes Usage of product. Explain all the functionality of the product. Preventive maintenance action to be taken.
- 9.** Product must use according to the instruction given by company authorized service engineer.
- 10.** Modification or alteration of any nature made in the electricity circuitry/or physical construction of the set that do not confirm to the recommended operating conditions of the machine will not consider any legal claim by the company
- 11.** Defects due to cause beyond control like lighter, abnormal voltage, acts of God or while in transit to the service center's or purchaser's residence will not consider any legal claim by the company.
- 12.** After billing If the buyer fails to operate the purchased machine after providing all the instruction given by the authorized service engineer will not consider any legal claim by the company.
- 13. Cancellation of order:** In case of order being cancelled the entire amount of advance will be forfeited. In case order is being cancelled due to company's reason then your advance payment will be adjustable but in case reason is from buyer's side then it is neither adjustable nor refundable.
- 14. Validity:** after booking of machine your advance payment valid for 30 days only.
- 15.** After purchase once your machine will be used by you it will neither refundable nor adjustable.
- 16.** Company does not work on second hand machinery.
- 17.** Once our authorized person will reach at your place for installation or for any service then it is costumer responsibility to provide picup & drop facility to the nearest transport area.
- 18.** After completing the required service or installation it is costumer responsibility to free up the authorized person as soon as possible otherwise it will automatically charge 500 rupees per hour to be paid by customer.
- 19.** Company strictly states to the customer to behave very polite and respectfully to our authorized person i.e. service engineer.

Special note :- All machineries are less noiseable and pollution free.



**PARKING NO. 3, PIYUSH TOWER, E-110, TRANSPORT NAGAR,
LUCKNOW, UTTAR PRADESH 226012**